when your patients need to be

stimulated



You will find that 'Dexedrine'—a standard antidepressant—helps dispel apathy and lethargy, restoring optimism, energy and a sense of well-being in your depressed patients. 'Dexedrine' is available as tablets and as Spansule* sustained release capsules.

SMITH KLINE & FRENCH • Montreal 9

DEXEDRINE*

*Reg. Can. T. M. Off.



 \dots the eighteen pound, transistorized model ${\Bbb S}$

For the clinical accuracy your heart practice demands . . . and a degree of portability never before approached in the field of 'cardiography . . . this new Sanborn instrument offers a truly remarkable answer.

In the VISETTE you will find outstanding Sanborn quality and performance, achieved through the latest electronic techniques and the most modern principles of instrumentation. Tiny transistors largely replace bulky vacuum tubes . . . entire circuits are contained in plug-in printed wiring panels no larger than a playing card . . . 'cardiograms are clearly traced on chart paper in a new, convenient width. Innovations such as these have also made possible economies in production, reflected in the comparably lower price of the new 300 VISETTE.

Every design feature, every component in this modern instrument, serves a single purpose: clinically accurate 'cardiograms with the greatest possible convenience. The "Sanborn man" in or near your city can provide complete details, and a demonstration in your office if you wish. And of course you may try a VISETTE (as you can other Sanborn instruments) — before buying, without cost or obligation.

To those who already own the famous Model 51 Viso-Cardiette, the new VISETTE can be an invaluable, "companion" ECG — especially suited to use outside the office, or in hospital wards. Or, for those who prefer a larger instrument, using conventional 6 cm. width recording paper, the "51" is still available at \$845 delivered.





261 Davenport Road, Toronto.





- Non-adhering film on center section prevents sticking to wound.
- Super-Stick adhesive firmly holds wound edges together.
- Sterilized Waterproof.

on skin areas strained by continuous flexing.




ANOTHER QUALITY PRODUCT FROM OUR RESEARCH LABORATORIES

AVAILABLE THROUGH YOUR DEALER

Johnson Johnson
LIMITED MONTREAL

NOW AVAILABLE

POLIOMYELITIS · VACCINE



New building for production of poliomyelitis vaccine

POLIOMYELITIS VACCINE MAY NOW BE PURCHASED BY PHYSICIANS AND PHARMACISTS

from the

CONNAUGHT MEDICAL RESEARCH LABORATORIES UNIVERSITY OF TORONTO TORONTO 4, CANADA

Established in 1914 for Public Service through Medical Research and the development of Products for Prevention or Treatment of Disease.

Canadian doctors report . . .

-	CASE HISTORY
	CASE HISTORY
	CASE HISTORY Patient's age:
١.	Patient's occupation: Clinical Diagnosis: Engage Clinical Diagnosis:
	Bacteriological Diagnosis:
	(1) Prior to Sigmamycin Therapy: Percilling attesting to Sigmamycin Therapy: 101° F - 102° F
	(2) During Sigmamycin Therapy: Cappetic the 3 sup of testment central of Temperature (nextal ~ buscel) Dose of Sigmamycin: 2 grafter
	Duration of Signamycin Therapy: 21 days Result of Treatment: Competer after 3 days of therapy Cationt Limited from lamital and stayed aparties were
	Result of Treatment. Linear from lastel and steeple applications of the steeple and steeple applications of the s
	PERSONAL COMMUNICATION TO PRISE

Signamycin-Signamycin-OLEANDOMYCIN-TETRACYCLINE


SUPPLIED

1.5 gm Sigmamycin powder in 60 c.c. bottles. Each 5 c.c. teaspoonful contains 125 mg (41.7 mg Oleandomycin and 83.3 mg of Tetracycline).

Also available in 100 mg capsules in bottles of 25 and 100. (33 mg Oleandomycin and 67 mg Tetracycline). 250 mg capsules in bottles of 16 and 100 (83 mg Oleandomycin and 167 mg Tetracycline).



PFIZER CANADA Division of Pfizer Corporation
• 5330 ROYALMOUNT AVE., MONTREAL 9, P.Q.



florinef-

Squibb Fludrocortisone Acetate with Spectrocin (Squibb Neomycin-Gramicidin)



- Florinef-S Lotion (liquid vanishing cream base), 0.1% 15 cc. plastic squeeze bottles.
- Florinef-S Ointment, 0.05% and 0.1%; 5 Gm. and 20 Gm. tubes.
- Florinef-S 0.1% Ophthalmic Ointment; 3.6 Gm. tubes.
- Florinef-S 0.1% Ophthalmic Suspension; 5 cc. bottles.

NOW for the relief of childhood fever, pain and discomfort


Tempra DROPS-SYRUP

N-Acetyl p-Aminophenol, Mead Johnson

the antipyretic-analgesic in two pleasant-tasting LIQUID dosage forms

Tempra (N-acetyl p-aminophenol) is an effective, well-tolerated antipyretic and analgesic for relief of childhood fever, minor pain and discomfort. Its relative safety is indicated by the absence of toxicity or other serious side effects in reported studies.







Parents will like Tempra Drops and Syrup because they are ready to use, easy to give . . . no need to cut, crush or dissolve tablets.

Children will like Tempra because these flavored liquids are easy to take . . . have pleasant taste and won't upset the stomach.

You will like Tempra for effectiveness and exact dosage control.

MEAD JOHNSON

SYMBOL OF SERVICE IN MEDICINE
TORONTO • BELLEVILLE • MONTREAL











Bentylol 2 capsules t.i.d.

for direct,


fast relief of

direct relief with minimal side effects:... fast relief even when other antispasmodics fail'



1. Derome, L.: Canad. M. A. J. 69:538, 1953. 8. Hardin, J. H., et al.: South. M. J. 47:1190, 1954. THE WM.S. MERRELL COMPANY New York - ST. TROMAS. ONTARIO - Cincinnati

TRADEMARK: "BENTYLOL"



Chymar

What it is...

Chymar is a suspension of the proteolytic enzyme chymotrypsin in oil, for intramuscular use.

What it does...

Chymar reduces and prevents inflammation irrespective of cause; reduces and prevents edema of inflammatory and traumatic origin; reduces pain; hastens absorption of blood and lymph effusions; restores circulation; promotes healing.

Why CHYMAR is so safe...

It causes no undesirable local or systemic reactions; has no known contraindications—no known incompatibilities; has no influence on blood clotting mechanism; does not spread infection, but augments the action of concurrently used antibiotics.

Indications...Prophylactic and Therapeutic

Chymar is indicated in all conditions in which inflammation and edema retard healing. 1) Accidental injuries: Black eyes, bruises, hematomas, wounds, burns, sprains, fractures, bursitis. 2) Surgery: Biopsies, cellulitis, hernia repair, hemorrhoidectomies, G. I. surgery (to prevent edema and hematomas at site of anastomosis), mammectomies, orchitis, epididymitis, prostatitis, phlebitis, thrombophlebitis, skin ulcers (as an adjunct to Tryptar Antibiotic Ointment). 3) Obstetrics: Breast engorgement (postpartum), cephalohematoma, episiotomies. 4) Eye Diseases: Inflammation, trauma, edema, hematomas (blood in anterior chamber), pre- and postsurgically.

Supply: 5 cc. vials. Each 1 cc. contains 5000 units of proteolytic activity.



THE ARMOUR LABORATORIES A DIVISION OF ARMOUR AND COMPANY

In Canada: LAURENTIAN AGENCIES, LTD. 429 St. Jean Baptiste Street, Montreal 1, Quebec, Canada